

# Decision

London Borough of

**Redbridge**



## Duty to Consult on Felling Street Trees

The period of consultation has ended. This is a notification that this tree is proposed to be removed 28 days from the date of this notice. This decision notice meets the duty to consult and notify when removing street trees set out in section 115 of the Environment Act 2021

<b>Notice Date</b>	18/11/2024
<b>Reference</b>	437000
<b>Ward</b>	Bridge
<b>Site</b>	Chigwell Road - Bridge
<b>Position</b>	Junction of Snakes Lane East, near entrance of Ashton Playing Fields
<b>Species</b>	Sambucus nigra (Elderberry)
<b>Summary of responses</b>	No objections received

<b>Decision summary</b>	Tree to be removed
-------------------------	--------------------

For further information about Council tree management please visit our website at [www.redbridge.gov.uk/our-streets/council-trees/](http://www.redbridge.gov.uk/our-streets/council-trees/)

Facilities are also available to view this notice online at libraries.

Alternatively, the tree management service may contacted by post Arboricultural and Horticultural Department, The WREN Office, Ley Street Depot, 531 Ley Street, Ilford, Essex, IG2 7QZ

The tree is programmed to be removed after: 17/12/2024



# Consultation

London Borough of  
**Redbridge**



## Duty to Consult on Felling Street Trees

This is a notification that this tree is proposed to be removed. From the date of this notice there is a 28 day period in which you can provide comments on the proposed tree removal. This notice meets the duty to consult requirements set out in section 115 of the Environment Act 2021

**Notice Date** 21/10/2024

**Reference** 437000

**Ward** Bridge

**Site** Chigwell Road - Bridge

**Position** Junction of Snakes Lane East, near entrance of Ashton Playing Fields

**Species** Sambucus nigra (Elderberry)

**Reason for removal** A self set, inappropriate position for a tree. Causing damages to nearby fence and phone box.

**Solutions considered** Pruning is not considered a suitable solution, due to the tree's ultimate size, speed of growth and it is not considered appropriate for the landscape.

**Replacement** No replacement tree is programmed to be planted. Due to being self in a inappropriate position.

To provide comments on this proposal and for further information about Council tree management please visit our website at [www.redbridge.gov.uk/our-streets/council-trees/](http://www.redbridge.gov.uk/our-streets/council-trees/)

Facilities are also available to view this notice online at libraries.

Alternatively, comments may be posted to Arboricultural and Horticultural Department, The WREN Office, Ley Street Depot, 531 Ley Street, Ilford, IG2 7QZ

Any comments should be made by 19/11/2024

